Author Index

ARMSTRONG D.G. *see* ROOKE J.A.

BAKER R.D. *see* DOYLE C.J.
BECHET *see* PRACHE SOPHIE
BINNIE R.C. and CHESTNUTT D.M.B. The effect of cutting systems on the yield of herbage from a small-plot experiment 113
BLACKSHAW R.P. Application of a sequential sampling technique to DIY assessment of leatherjacket (*Diptera: Tipulidae)* populations in grassland 257
BOLLER B.C. *see* NESHEIM L.
BOLTON G.R. *see* THOMAS R.J.
BOOK REVIEWS 117, 443
BORMAN ALISON J. *see* ROOKE J.A.
BOWLING P.J. *see* HOPKINS A.
BRADLEY N.W. *see* DOUGHERTY C.T.
BRISKE D.D. *see* HEITSCHMIDT R.K.

CHESTNUTT D.M.B. *see* BINNIE R.C.
CHRISTIE P. *see* LAIDLAW A.S.
CLEMENTS A.J. *see* MAYNE C.S.
COLLINS M. *see* DOUGHERTY C.T.
CORNELIUS P.L. *see* DOUGHERTY C.T.
COURTIN M.G. and SPOELSTRA S.F. A simulation model of the microbiological and chemical changes accompanying the initial stage of aerobic deterioration of silage 153

DAVIDSON I.A. and ROBSON M.J. Short-term effects of nitrogen on the growth and nitrogen nutrition of small swards of white clover and perennial ryegrass in spring 413
DAVIDSON I.A. *see* WOLEDGE JANE
DAVIES ALISON and EVANS M. ELEANOR Effects of spring defoliation and fertilizer nitrogen on the growth of white clover in ryegrass/clover swards 345
DIBB C. *see* HOPKINS A.
DOBSON RUTH C. *see* HUTCHING N.J.
DOUGHERTY C.T., COLLINS M., BRADLEY N.W., CORNELIUS P.L. and LAURIAULT L.M. Moderation of ingestive behaviour of beef cattle by grazing-induced changes in lucerne swards 135
DOYLE C.J., MASON V.C. and BAKER R.D. The economic consequences of integrating whole-crop wheat with grass production on dairy farms in the UK: a computer simulation 179

EVANS D.R., WILLIAMS T.A. and MASON S.A. Contribution of white clover varieties to total sward production under typical farm management 129
EVANS M. ELEANOR *see* DAVIES ALISON

FALLOON R.E. and ROLSTON M.P. Productivity of prairie grass (*Bromus willdenowii* Kunth.) affected by sowing date and the head smut fungus (*Ustilago bullata* Berk.) 357
FRAME J. Herbage productivity of a range of grass species in association with white clover 57
FRAME J. *see* HARKESS R.D.
FRENCH N., NICHOLS D.B.R. and WRIGHT A.J. Yield responses of improved upland pasture to the control of leatherjackets under increasing rates of nitrogen 99

GARINO H. *see* PHILLIP L.E.
GILBEY J. *see* HOPKINS A.
GLEESON A.C. *see* HILL M.J.
GRACEY H.I. *see* LONG F.N.J.
GREEN B.H. Agricultural intensification and the loss of habitat, species and amenity in the British grasslands: a review of historical change and assessment of future prospects 365

HAIGH P.M. Effect of herbage water-soluble carbohydrate content and weather conditions at ensilage on the fermentation of grass silages made on commercial farms 263
HAIGH P.M. The effect of dry matter content on the preservation of big bale grass silages made during the autumn on commercial farms in South Wales 1983–87 29
HALL R.L. *see* PLUMMER R.M.
HARKESS R.D., MORRISON M.W. and FRAME J. Herbage productivity of brome grass (*Bromus carinatus*) 383
HAYES M.J. *see* WILLIAMS E.D.
HEITSCHMIDT R.K., BRISKE D.D. and PRICE D.L. Pattern of interspecific tiller defoliation in a mixed-grass prairie grazed by cattle 215
HIDES D.H. *see* MARSHALL A.
HILL M.J. and GLEESON A.C. Competition between white clover (*Trifolium repens* L.) and subterranean clover (*Trifolium subterraneum* L.) in binary mixtures in the field 373
HOPKINS A., GILBEY J., DIBB C., BOWLING P.J. and MURRAY P.J. Response of permanent and reseeded grassland to fertilizer nitrogen. 1. Herbage production and herbage quality 43
HOPKINS D.W., SHIEL R.S. and O'DONNELL A.G. Yield and nitrogen utilization by *Lolium perenne* and *Trifolium repens* on a limed stagnohumic-gley soil in a pot experiment 107
HUME D.E. Growth of prairie grass (*Bromus willdenowii* Kunth.) and Westerwolds ryegrass (*Lolium multiflorum* Lam.) at Wageningen, The Netherlands 403
HUSU J.R., SIVELÄ and RAURAMAA A.L. Prevalence of Listeria species as related to chemical quality of farm-ensiled grass 309
HUTCHING N.J., PHILLIPS A.H. and DOBSON RUTH C. An ultrasonic rangefinder for measuring the undisturbed surface height of continuously grazed swards 119

IRONSIDE A.D. *see* THOMAS R.J.

JEANGROS B. and NOSBERGER J. Effects of an established sward of *Lolium perenne* L. on the growth and development of *Rumex obtusifolius* L. seedlings 1
JONES L. The effect of formic acid on the rate of water loss from cut grass and lucerne 83

KARN J.F. and TOBER D.A. Nutritive quality of little clones selected for phenotypic variability 289
KELLY E.F. *see* ROBERTS D.J.
KENNEDY S.J. An evaluation of three bacterial inoculants and formic acid as additives for first harvest grass 281
KENNEDY S.J. Comparison of the fermentation quality and nutritive value of sulphuric and formic acid-treated silages fed to beef cattle 178

LAIDLAW A.S., CHRISTIE P. and WITHERS J.A. Comparison between isotope dilution and acetylene reduction methods to estimate N_2 fixation rate of white clover in grass/clover swards 295

LAURIAULT L.M. *see* DOUGHERTY C.T.
LAVENDER R.H. *see* SHELDRICK R.D.
LEHMANN J. *see* NESHEIM L.
LINDGREN S. *see* LUNDÉN PETERSSON K.
LLOVERAS JAIME Dry matter yield and nutritive value of four summer annual crops in north-west Spain 243
LOGAN K.A.B. *see* THOMAS R.J.
LONG F.N.J. and GRACEY H.I. Effect of fertilizer nitrogen source and cattle slurry on herbage production and nitrogen utilization 431
LONG F.N.J. and GRACEY H.I. Herbage production and nitrogen recovery from slurry injection and fertilizer nitrogen application 77
LUNDÉN PETERSSON K. and LINDGREN S. The influence of the carbohydrate fraction and additives on silage quality 223

MALLARINO A.P. and WEDEN W.F. Effect of species and proportion of legume on herbage yield and nitrogen concentration of legume–grass mixtures 393
MARSHALL A. and HIDES D.H. White clover seed production from mixed swards: effect of sheep grazing on stolon density and on seed yield components of two contrasting white clover varieties 35
MARTYN T.M. *see* SHELDRICK R.D.
MASON S.A. *see* EVANS D.R.
MASON V.C. *see* DOYLE C.J.
MAYNE C.S., CLEMENTS A.J. and WOODCOCK S.C.F. An evaluation of the effects of grazing management systems involving preferential treatment of high-yielding dairy cows on animal performance and sward utilization 167
MORRISON M.W. *see* HARKESS R.D.
MUCK R.E. Prediction of lactic acid bacterial numbers on lucerne 273
MURRAY P.J. *see* HOPKINS A.

NESHEIM L., BOLLER B.C., LEHMANN J. and WALTHER U. The effect of nitrogen in cattle slurry and mineral fertilizers on nitrogen fixation by white clover 91
NICHOLS D.B.R. *see* FRENCH N.
NOSBERGER J. *see* JEANGROS B.

O'DONNELL A.G. *see* HOPKINS D.W.
ORR R.J., PARSONS A.J., PENNING P.D. and TREACHER T.T. Sward composition, animal performance and the potential production of grass/white clover swards continuously stocked with sheep 325

PARSONS A.J. *see* ORR R.J.
PENNING P.D. *see* ORR R.J.
PHILLIP L.E., UNDERHILL L. and GARINO H. Effects of treating lucerne with an inoculum of lactic acid bacteria or formic acid upon chemical changes during fermentation, and upon the nutritive value of the silage for lambs 337
PHILLIPS A.H. *see* HUTCHING N.J.
PLUMMER R.M., HALL R.L. and WATT T.A. THe influence of crown rust (*Puccinia coronata*) on tiller production and survival of perennial ryegrass (*Lolium perenne*) plants in simulated swards 9
PRACHE SOPHIE, BECHET G. and THERIEZ M. Effects of concentrate supplementation and herbage aliowance on the performance of grazing suckling lambs 423
PRICE D.L. *see* HEITSCHMIDT R.K.

RAURAMAA A.L. *see* HUSU J.R.
ROBERTS D.J. A comparison of different energy levels in straw/concentrate mixtures used for partial storage feeding of dairy cows 303
ROBERTS D.J. and KELLY E.F. Comparison of straw/concentrate mixture with silage as a buffer feed for grazing dairy cows 103
ROBERTS M.J. *see* DAVIDSON I.A.
ROLSTON M.P. *see* FALLOON R.E.
ROOKE J.A., BORMAN ALISON J. and ARMSTRONG D.G. The effect of inoculation with *Lactobacillus plantarum* on fermentation in laboratory silos of herbage low in water-soluble carbohydrate 143

SHELDRICK R.D., LAVENDER R.H. and MARTYN T.M. Dry matter yield and response to nitrogen of an *Agrostis stolonifera*-dominant sward 203
SHIEL R.S. *see* HOPKINS D.W.
SIVELÄ S.K. *see* HUSU J.R.
SPOELSTRA S.F. *see* COURTIN M.G.
STANDELL CHRISTINE J. Slot-seeding investigations 7. The effects of two grass-suppressants on the growth of white clover introduced into permanent pasture 249

TEWSON VERONICA *see* WOLEDGE JANE
THERIEZ M. *see* PRACHE SOPHIE
THOMAS R.J., LOGAN K.A.B., IRONSIDE A.D. and BOLTON G.R. The effects of grazing with and without excretal returns on the accumulation of nitrogen by ryegrass in a continuously grazed upland sward 65
TOBER D.A. *see* KARN J.F.
TREACHER T.T. *see* ORR R.J.

UNDERHILL L. *see* PHILLIP L.E.

WALTHER U. *see* NESHEIM L.
WATT T.A. *see* PLUMMER R.M.
WEDIN W.F. *see* MALLARINO A.P.
WILLIAMS E.D. and HAYES M.J. Growth, colonization and productivity of two white clover cultivars strip-seeded into an upland *Festuca-Agrostis* sward 315
WILLIAMS T.A. *see* EVANS D.R.
WILLIAMSON H.D. Estimating biomass of an improved pasture using SPOT HRV data 235
WITHERS J.A. *see* LAIDLAW A.S.
WOLEDGE JANE, TEWSON VERONICA and DAVIDSON I.A. Growth of grass/clover mixtures during winter 191
WOODCOCK S.C.F. *see* MAYNE C.S.
WRIGHT A.J. *see* FRENCH N.